SUMMARY OF PRODUCT CHARACTERISTICS

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Amicel Varroa

Solution for bee-hive strip

2. QUALITATIVE AND QUANTITATIVE COMPOSITION

One ml contains:

Active substance:

Amitraz......25 mg

For a full list of excipients, see section 6.1.

3. PHARMACEUTICAL FORM

Solution for bee-hive strip

4. CLINICAL PARTICULARS

4.1 Target species

Honeybees (Apis mellifera).

4.2 Indications for use, specifying the target species

Treatment of external parasitosis caused by Varroa destructor sensitive to amitraz.

4.3 Contraindications

None known.

4.4 Special warnings for each target species

They should be treated simultaneously all apiary hives to prevent re-infestation pillage. Do not re-use the strips. An antiparasitic drug misuse can result in an increased risk of development of resistance, resulting in ineffective therapy.

The administration of the medicinal product should be done in periods with little breeding in the hive (when the number of breeding is low).

Doses higher than the recommended will not increase the efficacy of the medicinal product.

4.5 Special precautions for use

Special precautions for use in animals

Do not use more than the indicated amount (10 ml solution) to prepare each strip.

Special precautions to be taken by the person administering the medicinal product to animals

Amitraz is a monoamine oxidase inhibitor (MAOI), so people taking medication containing MAOIs should take special care.

Use personal protective equipment consisting of rubber gloves when handling the veterinary medicine and placing into the hive.

Do not eat, drink or smoke during use.

Wash hands thoroughly with water after handling the product.

Avoid contact with skin and eyes. In case of accidental contact, wash with soap and water.

4.6 Adverse reactions (frequency and seriousness) None known.

4.7 Use during pregnancy, lactation or lay

Not applicable.

4.8 Interaction with other medicinal products and other forms of interaction None known.

4.9 Amounts to be administered and administration route

In-hive use.

Treatment of the hive

500 mg of amitraz per hive. This dose is reached by placing two strips per hive; each strip containing 250 mg amitraz.

Strip preparation

Apply homogeneously 10 ml of the solution in the strip, between 6 and 12 hours before placing it into the hive. The solution should be applied on one side of the strip and let it spread and penetrate before placing it into the hive.


- Layens hives: spread the product evenly and left without impregnating 3-4 cm at the top of the strip to allow easy handling by the operator.
- Langstrot and Dadant hives (vertical design): impregnate the strip in two directions from vertices, from right to left, and from left to right, folding the strip in half to insert it in the hive.

Placing strips

The strips are placed in the hive box that corresponds to the center of the area of breeding; the placing site of the first and second stripe can match.

- Day 1: Place the first strip.
- Day 12: Place the second strip.
 - Day 35: Remove both strips. If cellulose remains are observed at the bottom of the hive, also remove it.

The medicinal product should be administrated in periods with little breeding in the hive.



4.10 Overdose (symptoms, emergency procedures, antidotes)

The safety of this medicinal product was not assessed for doses higher than the recommended. It is recommended do not exceed the indicated dose.

4.11 Withdrawal period

Honey: Zero days. Do not use during honey flow.

5. PHARMACOLOGICAL PROPERTIES

Pharmacotherapeutic group: Ectoparasiticides, insecticides and repellents ATCvet code: QP53AD01

5.1 Pharmacodynamic properties

Amitraz is a parasiticidal belonging to the group of formamidine insecticides.

The mechanism of action of amitraz type is neurotoxic. It acts primarily as octopaminérgicos inhibitory receptors in the central nervous system (CNS) of ectoparasites inducing an increased neuronal activity, abnormal behavior, detachment and death.

5.2 Pharmacokinetic particulars

The bees contact with amitraz strip allows impregnation of Varroa's external cuticle and in consequence of such contact the antiparasite acts.

6. PHARMACEUTICAL PARTICULARS

6.1 List of excipients

Bis (2,6-diisopropylphenyl)carbodiimide (Stabaxol[®]1) Hydrocarbon, C9, aromatic (Solvesso[®] 100) Refined corn oil

6.2 Incompatibilities

None known.

6.3 Shelf life

Shelf-life of the veterinary medicinal product as packaged for sale: 9 months. Shelf-life after first opening the immediate packaging: 1month. Shelf-life after reconstitution according to directions: 35 days.

6.4 Special precautions for storage

Store below 25 °C.

6.5 Nature and composition of immediate packaging

Bottle of high density polyethylene (HDPE) with a shutter of low density polyethylene (LDPE) and a plug of high density polyethylene (HDPE) with seal cap.

Pack sizes

Cardbox with one 250 ml bottle, 25 strips cellulose fibres and a 10 ml graduated syringe of polypropylene/polyethylene.

Cardbox with one 1 l bottle, 100 strips cellulose fibres and a 10 ml graduated syringe of polypropylene/polyethylene.

Not all pack sizes may be marketed.

6.6 Special precautions for the disposal of unused veterinary medicinal product or waste materials derived from the use of such products

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

Amicel Varroa should not enter water courses as this may be dangerous for fish and other aquatic organisms.

7. MARKETING AUTHORISATION HOLDER

Laboratorios Maymó, S.A. Via Augusta, 302 08017 Barcelona (Spain)

8. MARKETING AUTHORISATION NUMBER

3157 ESP

9. DATE OF FIRST AUTHORISATION/RENEWAL OF THE AUTHORISATION

Date of first authorization: 2 January 2015

10. DATE OF REVISION OF THE TEXT

PROHIBITION OF SALE, SUPPLY AND/OR USE

Supplying conditions: To be supplied only on veterinary prescription. **Administration conditions**: To be administer by a veterinary surgeon or under their direct responsibility.